

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3550	709/238	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 10:39
S2	2524	((709/238) or (709/239) or (709/240) or (709/241)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:40
S3	209	S2 and (priorit\$3 with rout\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 10:42
S4	140	S3 and ((path or route) with (determin\$3 or calculat\$ or qos))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 10:44
S5	0	S4 and ((cache or server) with prefetch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 10:45
S8	2524	((709/238) or (709/239) or (709/240) or (709/241)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:49
S9	209	S8 and (priorit\$3 with rout\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 12:02
S10	140	S9 and ((path or route) with (determin\$3 or calculat\$ or qos))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 12:02
S11	75	S10 and @ad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 12:04

S12	7645	(priorit\$3 with rout\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 12:02
S13	2535	S12 and ((path or route) with (determin\$3 or calculat\$ or qos))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 12:02
S14	12	S13 and ((cache or server) with prefetch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 12:03
S15	9	S14 and @ad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:36
S16	2956	(load or congest\$3) with (path or route) with (determin\$3 or calculat\$ or qos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 13:03
S17	74	S8 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 13:03
S23	2525	((709/238) or (709/239) or (709/240) or (709/241)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 08:39
S24	2960	(load or congest\$3) with (path or route) with (determin\$3 or calculat\$ or qos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 08:39
S25	74	S23 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 08:39
S26	41	S25 and @ad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 08:39

S27	2525	((709/238) or (709/239) or (709/240) or (709/241)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 11:35
S28	73	S27 and (rout\$3 with priority with packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:35
S29	41	S28 and @ad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:37